

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 1 292 132 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:

12.03.2003 Bulletin 2003/11

(51) Int Cl.⁷: **H04N 5/44**

(21) Application number: **02255966.0**

(22) Date of filing: **28.08.2002**

(84) Designated Contracting States:

**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
IE IT LI LU MC NL PT SE SK TR**

Designated Extension States:

AL LT LV MK RO SI

(30) Priority: **30.08.2001 GB 0121005**

(71) Applicant: **Rees, Ian Paul**

Weybridge, Surrey KT15 1DP (GB)

(72) Inventor: **Rees, Ian Paul**

Weybridge, Surrey KT15 1DP (GB)

(74) Representative: **Butler, Lance**

Barker Brettell

10-12 Priests Bridge

London SW15 5JE (GB)

(54) **Communication connection for an audio/visual display monitor**

(57) A connector (10) for connecting a decoder (15) to an audio/visual display remote monitor (19) having a screen comprises a cable conforming to CATS protocol and a junction box (11) at one end portion thereof for connecting to an electrical input (12), an audio/video in-

put (13) and an infrared input (14) whereby control of the decoder (15) can be effected by a remote controller (17) directing infrared signals to a receptor (23) of the monitor.

EP 1 292 132 A1

Description

[0001] This invention relates to a connector for an audio/visual display monitor.

[0002] It is known to provide cables which conform to CAT5 protocol for supplying telecommunications signals from a source to different locations. Such an arrangement may be provided in a building so that telecommunications signals can be linked to terminals in different rooms of the building whereby a receiver may be connected to any one of the terminals so as to receive signals transmitted thereto by a corresponding one of the cables. According to the CAT5 protocol, a cable would comprise eight twin conductors.

[0003] Generally, receivers require a source of electrical power and this presents a problem if the electrical power required and the environment in which it is received would be such as to be a danger to human life.

[0004] It would be undesirable, for example, to provide a television receiver in a bathroom since, unless the receiver were to be completely sealed, any moisture could cause short circuiting of voltage through wet surfaces which may be touched, with the risk of life threatening consequences and a danger to human life.

[0005] However, there is a demand for providing television receivers in areas where there is a likelihood of exposure to moisture, such as in bathrooms and kitchens.

[0006] Accordingly, it is desirable to provide a system whereby viewing of television is possible in areas likely to be exposed to moisture without risk to human life.

[0007] It is also desirable to provide a television monitor which, in use, is flush with a wall and which is sealed against moisture.

[0008] According to the present invention, there is provided a connector for an audio/visual display monitor comprising a cable conforming to CAT5 protocol, a junction box provided at one end portion of the cable for connecting a first conductor of the cable to an electrical power source, a second conductor of the cable to an audio signal input, a third conductor of the cable to a video signal input and a fourth conductor of the cable to a signal controller and terminal means provided at a remote end portion of the cable whereby the connector is adapted to be connected to the monitor.

[0009] Following is a description, by way of example only and with reference to the accompanying drawing, which is a diagrammatic representation, of one method of carrying the invention into effect.

[0010] Referring to the drawing, there is shown a connector 10 which conforms to CAT5 protocol in that it comprises eight pairs of twin conductors, one end portion of the connector being provided with a junction box 11 and a remote end portion of the connector 10 being provided with the terminal (not shown).

[0011] The junction box 11 is adapted to receive a 12 volt electrical input 12, an audio/video input 13 and an infrared input 14. The audio/video input 13 is connected

to a decoder 15 which is adapted to receive signals from an antenna (not shown). The infrared input 14 is connected to an output 16 of the decoder 15, the output 16 being included in a control circuit (not shown) for controlling selection of television programmes and sound and video characteristics. The circuit may be operated from a remote controller 17. The decoder 15 is connected to a television receiver 18.

[0012] The remote terminal of the connector 10 is received in a socket (not shown) of a back box (not shown) located behind a thin film technology (TFT) audio/visual display monitor screen 19 which is inset in a wall 20 of a bathroom so that an outer surface of the screen 19 is flush with an outer surface of the wall 20. The screen 19 is surrounded by a bezel 21 which includes a speaker 22 and a receptor 23 for receiving signals from the remote controller 17.

[0013] The arrangement is such that one pair of conductors of the connector 10 provides audio signals, a second pair of the conductors provides video signals, a third of the conductors provides a voltage and a fourth pair of the conductors provides an infrared signal for controlling operation of the control circuit in the decoder 15.

[0014] Therefore, power is supplied to the screen 19, as are audio/video signals from the decoder 15. The audio/video signals are selectively controlled by operation of the decoder 15 controlled by the remote controller 17. The decoder 15 and the television receiver 18 would be located in, for example, a living area separate from the bathroom.

[0015] However the audio/video signals received by the television receiver 18 may also be received by the remote audio/visual display monitor upon operation of the remote controller 17 to produce signals incident on the receptor 23. The receptor 23 thus receives infrared signals from the remote controller 17 and the signals are relayed through the connector 10 and the junction box 11 to the decoder 15 so as to control the decoder 15 to operate the operating circuit in the decoder to provide audio/video signals from the decoder 15 back to the audio/video input 13 and to the audio/visual display monitor.

[0016] In this manner, a connector in accordance with the present invention provides a means for connecting a decoder to a remote audio/visual display monitor without the necessity of also providing power to the monitor at a voltage which would be dangerous to human life.

[0017] The connector 10 may be provided with a balun (not shown) for altering the impedance characteristics and balancing the signal.

[0018] Since the remote audio/visual display monitor only requires means for connecting to the connector, only a small recess is required in a wall within which to locate the monitor. Therefore, the monitor is locatable in most bathroom walls such as to be flush with any such wall and sealed against moisture.

Claims

1. A connector (10) for an audio/visual display monitor (19) **characterised by** a cable (10) conforming to CAT5 protocol, a junction box (11) provided at one end portion of the cable (10) for connecting first conductors of the cable to an electrical power source (12), second conductors of the cable to an audio signal input (13), third conductors of the cable to a video signal input (13) and fourth conductors of the cable to a signal controller (15) and terminal means provided at a remote end portion of the cable whereby the connector is adapted to be connected to the monitor (19).
5
10
15
2. A connector as claimed in Claim 1 **characterised in that** the connector (10) includes a balun.
3. A connector according to Claim 1 **characterised in that** the signal controller (15) is a decoder connected to a television receiver (18).
20
4. A connector as claimed in Claim 3 **characterised in that** the monitor (19) is provided with a receptor (23) and a remote controller (17) is adapted to control the operation of the monitor (19).
25
5. A connector as claimed in Claim 4 **characterised in that** the controller (17) is adapted to control the operation of the monitor (19) through the decoder (15).
30


35

40

45

50

55





European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 02 25 5966

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
Y	US 5 926 509 A (STEWART W. ET AL) 20 July 1999 (1999-07-20) * column 3, line 6 - column 9, line 13 *	1,3-5	H04N5/44
Y	PATENT ABSTRACTS OF JAPAN & JP 11 341400 A (MUSASHI DENSEN KOGYO KK), 10 December 1999 (1999-12-10) * abstract *	1,3-5	
A	US 5 193 208 A (YOKOTA T. ET AL) 9 March 1993 (1993-03-09) * column 3, line 37 - column 6, line 45 *	1,3-5	
A	PATENT ABSTRACTS OF JAPAN & JP 11 112681 A (GASTAR CORP), 23 April 1999 (1999-04-23) * abstract *	1,3-5	
A	US 6 104 414 A (ODRYNA V. ET AL) 15 August 2000 (2000-08-15) * column 3, line 25 - column 4, line 63 * * column 12, line 4 - line 22 *	1,3-5	TECHNICAL FIELDS SEARCHED (Int.Cl.7)
A	US 6 236 718 B1 (GOODMAN D.) 22 May 2001 (2001-05-22) * column 7, line 66 - column 30, line 36 *	1,3-5	H04N
A	GB 2 359 429 A (ITT MANUFACTURING ENTERPRISES INC.) 22 August 2001 (2001-08-22) * page 4, line 21 - page 9, line 18 *	1,3-5	
The present search report has been drawn up for all claims			
Place of search		Date of completion of the search	Examiner
THE HAGUE		8 January 2003	Verscheiden, J
CATEGORY OF CITED DOCUMENTS		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application I : document cited for other reasons & : member of the same patent family, corresponding document	
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document			

EPO FORM 1503 33 82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 25 5966

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

08-01-2003

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5926509	A	20-07-1999	US 5576723 A	19-11-1996
			US 6184919 B1	06-02-2001
			US 6150997 A	21-11-2000
			US 5276404 A	04-01-1994
			US 6377629 B1	23-04-2002
			US 2002056137 A1	09-05-2002

JP 11341400	A	10-12-1999	NONE	

US 5193208	A	09-03-1993	JP 4018831 A	23-01-1992
			JP 4026279 A	29-01-1992
			JP 2893863 B2	24-05-1999
			JP 4029496 A	31-01-1992
			DE 69131494 D1	09-09-1999
			DE 69131494 T2	10-02-2000
			EP 0457673 A2	21-11-1991
			KR 201447 B1	15-06-1999

JP 11112681	A	23-04-1999	NONE	

US 6104414	A	15-08-2000	AU 6692998 A	29-09-1998
			EP 0966835 A2	29-12-1999
			WO 9841008 A2	17-09-1998
			US 6333750 B1	25-12-2001

US 6236718	B1	22-05-2001	US 5949473 A	07-09-1999
			US 5010399 A	23-04-1991
			US 2002071531 A1	13-06-2002
			US 2002110229 A1	15-08-2002
			US 6185284 B1	06-02-2001
			US 6181783 B1	30-01-2001
			US 5929896 A	27-07-1999
			US 5844596 A	01-12-1998
			US 2001028704 A1	11-10-2001
			CA 2020841 A1	15-01-1991
			DE 69032075 D1	09-04-1998
			DE 69032075 T2	08-10-1998
			DE 69033638 D1	02-11-2000
			DE 69033638 T2	03-05-2001
			EP 0408236 A2	16-01-1991
			EP 0798923 A2	01-10-1997

GB 2359429	A	22-08-2001	AU 1016702 A	25-07-2002
			CN 1367609 A	04-09-2002
			EP 1227673 A2	31-07-2002
			JP 2002247458 A	30-08-2002

EPO FORM P-463

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 25 5966

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

08-01-2003

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
GB 2359429 A	US	2002100051 A1	25-07-2002

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82